



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/030,567	03/21/2002	John T. Farnsworth	112701-331	8777

29157 7590 06/13/2005

BELL, BOYD & LLOYD LLC  
P. O. BOX 1135  
CHICAGO, IL 60690-1135

EXAMINER

DEL SOLE, JOSEPH S

ART UNIT PAPER NUMBER

1722

DATE MAILED: 06/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/030,567

Applicant(s)

FARNSWORTH ET AL.

Examiner

Joseph S. Del Sole

Art Unit

1722

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 20 May 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-13 and 17-21 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 6-13, 19 and 21 is/are allowed.
- 6) ☒ Claim(s) 1-5, 17, 18 and 20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claim 17 is rejected under 35 U.S.C. 102(b) as being anticipated by Holmes et al. (4,564,350).

Holmes et al teach a die plate (Fig 4, including #s 96, 97, 98 and 104) for an extrusion apparatus, the die plate having first coupling means (Fig 4) for coupling the die plate on a first side thereof to an extruder defining a longitudinal axis (Fig 4, #60); apertures (Fig 4, #39), through which extrudate is received from the extruder and extruded for cutting into predetermined lengths by a cutter assembly (Fig 4, #38 and #50, the cutter assembly is interpreted to include the die plate because the pellets are cut against the surface of the die plate) disposable on the longitudinal axis, the cutter assembly having a motor (Fig 1, #54) for rotating a cutter transversely to the longitudinal axis into the path of movement of extrudate so as to sever the extrudate in use; the die plate having second coupling means for coupling the die plate on a second side thereof to the cutter assembly (Fig 4); a fluid inlet passage (Fig 3, #116) for receiving fluid into the die plate for deliver to the cutter assembly in use, and a fluid outlet passage (Fig 3, #118) for receiving fluid from the cutter assembly for discharge from the die plate,

Art Unit: 1722

wherein the fluid outlet passage and the fluid inlet passage have separate passages (passages 116 and 118 are separate from one another).

3. Claim 17 is rejected under 35 U.S.C. 102(b) as being anticipated by Dudley (4,123,207).

Dudley teaches a die plate (Fig 4, #801) for an extrusion apparatus, the die plate having first coupling means (Fig 4) for coupling the die plate on a first side thereof to an extruder defining a longitudinal axis (Fig 4, #400); apertures (Fig 4), through which extrudate is received from the extruder and extruded for cutting into predetermined lengths by a cutter assembly (Fig 4, at #812, the cutter assembly is interpreted to include the die plate because the pellets are cut against the surface of the die plate) disposable on the longitudinal axis, the cutter assembly having a motor (col 4, lines 38-44) for rotating a cutter transversely to the longitudinal axis into the path of movement of extrudate so as to sever the extrudate in use; the die plate having second coupling means for coupling the die plate on a second side thereof to the cutter assembly (Fig 4); a fluid inlet passage (Fig 3, #404) for receiving fluid into the die plate for deliver to the cutter assembly in use, and a fluid outlet passage (Fig 3, #406) for receiving fluid from the cutter assembly for discharge from the die plate, wherein the fluid outlet passage and the fluid inlet passage have separate passages (although different elements interconnect 404 and 406, these two elements are separate).

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 1722

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148

USPQ 459 (1966), that are applied for establishing a background for determining

obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

7. Claims 1-2, 4-5 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Holmes et al. (4,564,350) in view of Guggiari (5,110,523).

Holmes et al teach a die plate (Fig 4, #38) for an extrusion apparatus, the die plate having first coupling means (Fig 4) for coupling the die plate on a first side thereof to an extruder defining a longitudinal axis (Fig 4, #60); apertures (Fig 4, #39), through which extrudate is received from the extruder and extruded for cutting into

Art Unit: 1722

predetermined lengths by a cutter assembly (Fig 4, #38 and #50, the cutter assembly is interpreted to include the die plate because the pellets are cut against the surface of the die plate) disposable on the longitudinal axis, the cutter assembly having a motor (Fig 1, #54) for rotating a cutter transversely to the longitudinal axis into the path of movement of extrudate so as to sever the extrudate in use; the die plate having second coupling means for coupling the die plate on a second side thereof to the cutter assembly (Fig 4); a fluid inlet passage (Fig 3, #116) for receiving fluid into the die plate for deliver to the cutter assembly in use, and a fluid outlet passage (Fig 3, #118) for receiving fluid from the cutter assembly for discharge from the die plate, wherein the fluid outlet passage and the fluid inlet passage have separate passages (passages 116 and 118 are separate from one another); the die plate has a peripheral edge adjoining the first and second sides, the fluid inlet passage and fluid outlet passage each having a radial portion extending radially through the peripheral edge toward a central area of the die plate where each passage terminates in a respective longitudinal portion extending through the second side of the die plate (Figs 3 and 4); including thermal insulation means between the fluid inlet and outlet passages and the extrudate apertures (Fig 6); the thermal insulation means has a gap into which a gas may enter (Fig 4).

Holmes et al. fails to teach the motor being a fluid driven motor.

Guggiari teaches a hydraulic (fluid driven) motor for the purposes of operating a cutter in an extrusion apparatus (col 3, lines 45-58).

It would have been obvious to one having ordinary skill in the art at the time of the Applicant's invention to have modified the invention of Holmes et al. with a motor

Art Unit: 1722

driven cutter wherein the motor is hydraulic as taught by Guggiari because it facilitates controlling and keeping constant at a predetermined value the contact pressure of cutting elements against a die (col 1, lines 8-14 and col 4, lines 3-19).

8. Claims 1-2, 4-5 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dudley (4,123,207) in view of Guggiari (5,110,523).

Dudley teaches a die plate (Fig 4, #801) for an extrusion apparatus, the die plate having first coupling means (Fig 4) for coupling the die plate on a first side thereof to an extruder defining a longitudinal axis (Fig 4, #400); apertures (Fig 4), through which extrudate is received from the extruder and extruded for cutting into predetermined lengths by a cutter assembly (Fig 4, at #812, the cutter assembly is interpreted to include the die plate because the pellets are cut against the surface of the die plate) disposable on the longitudinal axis, the cutter assembly having a motor (col 4, lines 38-44) for rotating a cutter transversely to the longitudinal axis into the path of movement of extrudate so as to sever the extrudate in use; the die plate having second coupling means for coupling the die plate on a second side thereof to the cutter assembly (Fig 4); a fluid inlet passage (Fig 3, #404) for receiving fluid into the die plate for deliver to the cutter assembly in use, and a fluid outlet passage (Fig 3, #406) for receiving fluid from the cutter assembly for discharge from the die plate, wherein the fluid outlet passage and the fluid inlet passage have separate passages (although different elements interconnect 404 and 406, these two elements are separate); the die plate has a peripheral edge adjoining the first and second sides, the fluid inlet passage and fluid outlet passage each having a radial portion extending radially through the peripheral

Art Unit: 1722

edge toward a central area of the die plate where each passage terminates in a respective longitudinal portion extending through the second side of the die plate (Figs 3 and 4); including thermal insulation means between the fluid inlet and outlet passages and the extrudate apertures (Fig 4); the thermal insulation means has a gap into which a gas may enter (Fig 4).

Dudley fails to teach the motor being a fluid driven motor

Guggiari teaches a hydraulic (fluid driven) motor for the purposes of operating a cutter in an extrusion apparatus (col 3, lines 45-58).

It would have been obvious to one having ordinary skill in the art at the time of the Applicant's invention to have modified the invention of Dudley with a motor driven cutter wherein the motor is hydraulic as taught by Guggiari because it facilitates controlling and keeping constant at a predetermined value the contact pressure of cutting elements against a die (col 1, lines 8-14 and col 4, lines 3-19).

9. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Holmes et al. (4,564,350) and Guggiari (5,110,523) in view of Meakin (2,764,952).

Holmes et al. teach the apparatus as discussed above and also teaches the first coupling means having a plurality of mounting openings for receiving respective fasteners through the die plate (Fig 4).

Holmes et al. fail to teach the second coupling means having an opening for receiving a respective fastener through the die plate.



Art Unit: 1722

Meakin teaches a second coupling means having an opening (Fig 1, the opening through which #29 projects) for the purpose of receiving a respective fastener (Fig 1, #29) through the die plate (Fig 1, #s 9 and 21).

It would have been obvious to one having ordinary skill in the art at the time of the Applicant's invention to have modified the invention of Holmes et al with a coupling means having an opening for receiving a fastener through a die plate as taught by Meakin because it enables a closer consolidation of the parts of the apparatus such that the mechanism for rotating the cutters is within the extruder casing, not outside of it.

10. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Dudley (4,123,207) and Guggiari (5,110,523) in view of Meakin (2,764,952).

Dudley teaches the apparatus as discussed above and also teaches the first coupling means having a plurality of mounting openings for receiving respective fasteners through the die plate (Fig 3, #825).

Dudley fails to teach the second coupling means having an opening for receiving a respective fastener through the die plate.

Meakin teaches a second coupling means having an opening (Fig 1, the opening through which #29 projects) for the purpose of receiving a respective fastener (Fig 1, #29) through the die plate (Fig 1, #s 9 and 21).

It would have been obvious to one having ordinary skill in the art at the time of the Applicant's invention to have modified the invention of Dudley with a coupling means having an opening for receiving a fastener through a die plate as taught by Meakin

Art Unit: 1722

because it enables a closer consolidation of the parts of the apparatus such that the mechanism for rotating the cutters is within the extruder casing, not outside of it.

11. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Holmes et al. (4,564,350) in view of Meakin (2,764,952).

Holmes et al. teach the apparatus as discussed above and also teaches the first coupling means having a plurality of mounting openings for receiving respective fasteners through the die plate (Fig 4)

Holmes et al. fails to teach the second coupling means having a plurality of mounting openings for receiving respective fasteners through the die plate.

Meakin teaches a second coupling means having an opening (Fig 1, the opening though which #29 projects) for the purpose of receiving a respective fastener (Fig 1, #29) through the die plate (Fig 1, #s 9 and 21).

It would have been obvious to one having ordinary skill in the art at the time of the Applicant's invention to have modified the invention of Holmes et al with a coupling means having an opening for receiving a fastener through a die plate as taught by Meakin because it enables a closer consolidation of the parts of the apparatus such that the mechanism for rotating the cutters is within the extruder casing, not outside of it.

12. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Dudley (4,123,207) in view of Meakin (2,764,952).

Dudley teaches the apparatus as discussed above and also teaches the first coupling means having a plurality of mounting openings for receiving respective fasteners through the die plate (Fig 4, #825)

Dudley fails to teach the second coupling means having a plurality of mounting openings for receiving respective fasteners through the die plate.

Meakin teaches a second coupling means having an opening (Fig 1, the opening through which #29 projects) for the purpose of receiving a respective fastener (Fig 1, #29) through the die plate (Fig 1, #s 9 and 21).

It would have been obvious to one having ordinary skill in the art at the time of the Applicant's invention to have modified the invention of Dudley with a coupling means having an opening for receiving a fastener through a die plate as taught by Meakin because it enables a closer consolidation of the parts of the apparatus such that the mechanism for rotating the cutters is within the extruder casing, not outside of it.

***Allowable Subject Matter***

13. Claims 6-13, 19 and 21 are allowed.

***Response to Arguments***

14. Applicant's arguments filed 5/20/05 have been fully considered but they are not persuasive.

The Applicant argues that Holmes fails to set forth a die plate having a fluid inlet passage and a fluid outlet passage.

The Examiner disagrees. As more clearly set forth above, the passages 116 and 118 direct fluid into and from the die plate (as claimed). Although their starting points are located more precisely in the housing, they do direct fluid to the die plate as further shown at Figure 7, features 114 and 115 and at col 5, line 63 - col 6, line 12.

The Applicant argues that Dudley fails to set forth a die plate having separate passages.

The Examiner disagrees. Despite passage 404 fluidly interconnected with 406 (by way of 410) the two passages are nevertheless separate as claimed. As stated in the specification of Dudley 404 is an entrance passageway and 406 is an exit passageway, therefore they are not one and the same.

### ***Conclusion***

15. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


### ***Correspondence***

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Joseph S. Del Sole whose telephone number is (571) 272-1130. The examiner can normally be reached on Monday through Friday from 8:30 A.M. to 5:00 P.M.

Art Unit: 1722

If attempts to reach the Examiner by telephone are unsuccessful, Mr. Duane Smith can be reached at (571) 272-1166. The official fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306 for both non-after finals and for after finals.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from the either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on the access to the Private PAIR system, contact the Electronic Business Center (EBC) at 886-217-9197 (toll-free).



Joseph S. Del Sole  
June 8, 2005